

 **Rycote**[®] the **professionals' choice**

Universal Camera Kit

Camera mountable, noise protection technology for video production

video **sound**



Kit contents:

- **InVision™ Video Microphone Mount with:**
 - Hot shoe attachment
 - 1/4" thread adaptor
 - 3/8" boom and stand converter
- **Miniscreen™ Windshield**
- **Miniscreen™ Windjammer™**
- **Hot Shoe Extension**



www.rycote.com



InVision™ Video Microphone Mount

The high-tech shock mount for attachment to video cameras, camcorders, booms and stands.

- The InVision Video Microphone Mount uses the patented “Lyre” technology to provide excellent vibration isolation against handling & camera motor noise.
- The “Lyres” are made from a specialist material, Hytrel, which allows the suspension to operate effectively in temperatures from minus 35°C (-31°F) to over 100°C (212°F).
- The clip is designed to hold shotgun microphones from 19 to 25 mm in diameter and up to 300 mm in length, including the slab sided Sennheiser MKH range.

- A “soft feel” grip is moulded into the clip, to prevent the microphone twisting or slipping.
- The mount can be rotated 360° around the mounting point and slid in and out allowing the microphone to be positioned in the optimum place on the camera.

- A built-in cable clamp provides good isolation against cable borne noise.
- InVision Video thumb wheel is fitted with female ¼” 20 thread allowing additional ¼” components to be used in conjunction with it.




 Rycote

Visit our website for the latest products and news.

www.rycote.com

Miniscreen™ Windshield

- Black fabric/mesh, slip-on windshield for protection against breeze and wind noise generated through panning.
 - Suitable for microphones 19-25 mm (0.75-1.00") in diameter.
 - 55 mm (2.16") diameter.
 - Approx. Weight: 51g (1.8 oz).
 - 2 lengths, 14 cm and 18 cm, cover the slots on a wide range of shotgun/rifle microphones.
- (See table on back for details)



Miniscreen™ Windjammer™

A black fur Windjammer, for use in conjunction with the Miniscreen.

- For use in stronger wind conditions to provide supplementary wind noise protection to that supplied by the Miniscreen.
- Manufactured from short black 10 mm fur to avoid casting any unnecessary shadows when working in camera mounted situations.
- Elasticated at one end for easy fitting over the Miniscreen™.

Hot Shoe Extension

The Hot Shoe Extension allows you to fit multiple attachments such as microphones, lights and sound transmitters to your single hot shoe on your camera/camcorder. It also allows you to rotate the attachment 360° around the shoe fixture on the camera.

- Length of bar: 100mm (4.00").
- Weight: 50g (1.7oz).
- Top fitting: Suitable for male flash shoe accessories.
- Thread used: 3/8" Whitworth male (brass).





Rycote, winners of an Academy of Motion Picture Arts Technical Achievement Award, has been designing and manufacturing microphone shock-mounts and windshields for over 40 years, and have gained an enviable reputation for wind noise protection products in both film and outside broadcast.

We are proud of the fact that all our products are designed, engineered and hand-made in our factory in the United Kingdom.

Rycote Microphone Windshields Ltd

Libby's Drive, Slad Road
Stroud, Gloucestershire GL5 1RN
United Kingdom

Ph. +44 (0) 1453 759338
Fax +44 (0) 1453 764249
Email: sales@rycote.com
Internet: www.rycote.com

the **professionals' choice**

video sound



www.rycote.com

Which size RUCK?

18 cm UCK Kit Size

Manufacturer	Model
AKG	C 568 EB
	CK 68 ULS C460B
	CK 69 ULS C460B
Azden	SG(M)-1X
BeyerDynamic	MC 716
	MC 726
	MC 736
	MC 740
	MC 742
	MC 834
	MC 836
	MCE 86 N (C) S
	MCE 87vs
	MCE 90
	MCE58

18 cm UCK Kit Size

Manufacturer	Model
DPA	4017
Rode	NTG-3
Sanken	CS 3
Sennheiser	ME66 K6
	ME80 K3U
	MKH 416
	MKH 60
Sony	ECM 670
	ECM 672
	ECM 678
	ECM 680S

14 cm UCK Kit Size

Manufacturer	Model
Audio-Technica	AT 4073a
	BP 4073
	AT 835ST
	BP 4029
	AT 875
	AT 875R
	AT 877
	AT 897
Neumann	KMR 81i
Rode	NTG-1
	NTG-2
Sanken	CS 1
Schoeps	CMIT 5U
Sony	ECM 673
	ECM 673
	ECM 674