



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|------|----------------|---------------|-------------|---------------|----------------|----------------------|
| ADK | A-51 | 470 | 190 | 50 | USM-L (044903) | USM (044901) |
| ADK | Hamburg | 525 | 215 | 47 | USM-L (044903) | USM (044901) |
| ADK | Vienna | 525 | 215 | 47 | USM-L (044903) | USM (044901) |
| ADK | A-51TC | 550 | 165 | 53 | USM-L (044903) | USM (044901) |
| ADK | TC 12-Au | 550 | 165 | 53 | USM-L (044903) | USM (044901) |
| ADK | TC 67-Au | 550 | 165 | 53 | USM-L (044903) | USM (044901) |
| ADK | TC-251Au | 550 | 165 | 53 | USM-L (044903) | USM (044901) |
| ADK | Area 51 | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| ADK | CS-12 | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| ADK | CS-47Y | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| ADK | CS-67 | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| ADK | TT 12-Au | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| ADK | TT 67-Au | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| AKG | C 426 B | 470 | 235 | 33 | USM-L (044903) | USM (044901) |
| AKG | Perception 100 | 525 | 160 | 53 | USM-L (044903) | USM (044901) |
| AKG | Perception 200 | 525 | 160 | 53 | USM-L (044903) | USM (044901) |
| AKG | Perception 400 | 525 | 160 | 53 | USM-L (044903) | USM (044901) |
| AKG | C 12 VR | 680 | 225 | 42 | USM-L (044903) | USM (044901) |
| AKG | C 28 | 200 | 174 | 26 | USM-L (044903) | USM-L (044903) |
| AKG | D 40 | 245 | 104 | 44 | USM-L (044903) | USM-L (044903) |
| AKG | C 1000 S | 276 | 220 | 34 | USM-L (044903) | USM-L (044903) |
| AKG | D 224 | 280 | 195 | 23 | USM-L (044903) | USM-L (044903) |
| AKG | C 522 MS | 280 | 215 | 27 | USM-L (044903) | USM-L (044903) |
| AKG | C 214 | 290 | 160 | 54 | USM-L (044903) | USM-L (044903) |
| AKG | C 522 ENG | 300 | 215 | 27 | USM-L (044903) | USM-L (044903) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|----------------|---------------|---------------|-------------|---------------|----------------|----------------------|
| AKG | C 414 B-Xlii | 300 | 160 | 50 | USM-L (044903) | USM-L (044903) |
| AKG | C 414 B-XLS | 300 | 160 | 50 | USM-L (044903) | USM-L (044903) |
| AKG | D 202 | 320 | 200 | 31 | USM-L (044903) | USM-L (044903) |
| AKG | C 414 B-TL II | 320 | 141 | 45 | USM-L (044903) | USM-L (044903) |
| AKG | C 414 B-ULS | 320 | 141 | 45 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 2035 | 403 | 170 | 52 | USM-L (044903) | USM (044901) |
| Audio-Technica | AT 4047/SV | 410 | 170 | 53.4 | USM-L (044903) | USM (044901) |
| Audio-Technica | AT 2050 | 412 | 170 | 52 | USM-L (044903) | USM (044901) |
| Audio-Technica | AT 4050 | 510 | 188 | 53.4 | USM-L (044903) | USM (044901) |
| Audio-Technica | AT 3060 | 542 | 170 | 52 | USM-L (044903) | USM (044901) |
| Audio-Technica | AT 4060 | 640 | 210 | 53.4 | USM-L (044903) | USM (044901) |
| Audio-Technica | AE 3000 | 170 | 115.5 | 48 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 3525 | 231 | 119.5 | 48 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 2020 | 245 | 162 | 52 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | ATM 250 | 252 | 127.5 | 55 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | ATM 250DE-c | 320 | 143.6 | 55 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | ATM 250DE-d | 320 | 143.6 | 55 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 4040 | 360 | 170 | 53.4 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 4033a/CL | 380 | 170 | 53.4 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AT 3035 | 390 | 170 | 52 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AE 2500-c | 390 | 165 | 55 | USM-L (044903) | USM-L (044903) |
| Audio-Technica | AE 2500-d | 390 | 165 | 55 | USM-L (044903) | USM-L (044903) |
| Audix | CX-112 | 450 | 162 | 53 | USM-L (044903) | USM (044901) |
| Audix | CX-212 | 450 | 162 | 53 | USM-L (044903) | USM (044901) |
| Audix | CX-111 | 482 | 180 | 53 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|----------------------|-------------------|---------------|-------------|---------------|----------------|----------------------|
| Audix | D 6 | 217 | 117 | 51 | USM-L (044903) | USM-L (044903) |
| Behringer | C1 | 450 | 169 | 54 | USM-L (044903) | USM (044901) |
| Behringer | B2 | 520 | 210 | 50 | USM-L (044903) | USM (044901) |
| Beijing 797 Audio | CR3000 | 410 | 160 | 54 | USM-L (044903) | USM (044901) |
| Beijing 797 Audio | CR616 | 410 | 165 | 55 | USM-L (044903) | USM (044901) |
| Beijing 797 Audio | CR100 | 420 | 165 | 55 | USM-L (044903) | USM (044901) |
| Beijing 797 Audio | CR414 | 430 | 160 | 50 | USM-L (044903) | USM (044901) |
| Beijing 797 Audio | CR998 | 750 | 225 | 53 | USM-L (044903) | USM (044901) |
| Berliner Microphones | U7 | 420 | 165 | 50 | USM-L (044903) | USM (044901) |
| Beyerdynamic | M 99 | 421 | 163 | 56 | USM-L (044903) | USM (044901) |
| Beyerdynamic | MC 742 | 630 | 292 | 37 | USM-L (044903) | USM (044901) |
| Beyerdynamic | MC 840 | 286 | 165 | 52 | USM-L (044903) | USM-L (044903) |
| Beyerdynamic | MC 834 | 290 | 165 | 37 | USM-L (044903) | USM-L (044903) |
| Beyerdynamic | MCD 100 | 305 | 190 | 40 | USM-L (044903) | USM-L (044903) |
| Beyerdynamic | MCD 101 | 305 | 190 | 40 | USM-L (044903) | USM-L (044903) |
| Beyerdynamic | MCE 90 | 375 | 160 | 56.8 | USM-L (044903) | USM-L (044903) |
| Beyerdynamic | MC 740 | 390 | 215 | 37 | USM-L (044903) | USM-L (044903) |
| Blue | Baby Bottle | 350 | 222 | 45 | USM-L (044903) | USM-L (044903) |
| Bock Audio | Bock 151 | 694 | 216 | 52 | USM-L (044903) | USM (044901) |
| Bock Audio | Bock 251 | 716 | 216 | 52 | USM-L (044903) | USM (044901) |
| Bock Audio | Bock 195 | 725 | 195 | 51 | USM-L (044903) | USM (044901) |
| CAD | M177 | 425 | 165 | 50.5 | USM-L (044903) | USM (044901) |
| CAD | e200 ² | 510 | 195 | 55 | USM-L (044903) | USM (044901) |
| CAD | GXL3000 | 602 | 194 | 45 | USM-L (044903) | USM (044901) |
| CAD | GXL 2400 | 380 | 152 | 44 | USM-L (044903) | USM-L (044903) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|----------------------|------------------|---------------|-------------|---------------|----------------|----------------------|
| CAD | GXL 2200 | 400 | 196 | 55 | USM-L (044903) | USM-L (044903) |
| Canford Audio | CSM41 | 470 | 190 | 50 | USM-L (044903) | USM (044901) |
| Crowley & Tripp | Proscenium | 610 | 150 | 50 | USM-L (044903) | USM (044901) |
| Crowley & Tripp | Soundstage Image | 610 | 150 | 50 | USM-L (044903) | USM (044901) |
| Crowley & Tripp | SPLx | 610 | 150 | 50 | USM-L (044903) | USM (044901) |
| Crowley & Tripp | Studio Vocalist | 610 | 150 | 50 | USM-L (044903) | USM (044901) |
| Dirk Brauner | Valvet | 670 | 150 | 47 | USM-L (044903) | USM (044901) |
| Dirk Brauner | Phantom C | 670 | 150 | 50 | USM-L (044903) | USM (044901) |
| Dirk Brauner | VM1 | 750 | 230 | 50 | USM-L (044903) | USM (044901) |
| Electrovoice | RE 20 | 737 | 217 | 49.2 | USM-L (044903) | USM (044901) |
| Electrovoice | RE 27N/D | 709 | 217 | 49.2 | USM-L (044903) | USM (044901) |
| Golden Age Project | GA FC1 Mk2 | 470 | 190 | 50 | USM-L (044903) | USM (044901) |
| Golden Age Project | GA FC3 | 470 | 190 | 50 | USM-L (044903) | USM (044901) |
| Groove Tubes | GA TC1 | 500 | 193 | 52 | USM-L (044903) | USM (044901) |
| Groove Tubes | Velo 8 | 590 | 205 | 47 | USM-L (044903) | USM (044901) |
| Manley Laboratories | CR-2001 | 510 | 202 | 50 | USM-L (044903) | USM (044901) |
| Manley Laboratories | Langevin CR-3A | 510 | 197 | 51 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL 909 | 455 | 200 | 46 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL DRK | 455 | 190 | 47 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V69 | 455 | 190 | 50 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V88 | 455 | 146 | 53 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL 2001 | 470 | 190 | 42 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL 1006 | 470 | 190 | 50 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V67 | 470 | 195 | 50 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V6 | 520 | 215 | 55 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|----------------------|------------|---------------|-------------|---------------|----------------|----------------------|
| Marshall Electronics | MXL V77 | 525 | 195 | 42 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V76t | 525 | 195 | 48 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL M3 | 525 | 195 | 48 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL 2003 | 530 | 195 | 42 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL V67i | 590 | 184 | 47 | USM-L (044903) | USM (044901) |
| Marshall Electronics | MXL 2006 | 600 | 190 | 50 | USM-L (044903) | USM (044901) |
| M-Audio | Nova | 650 | 190 | 50 | USM-L (044903) | USM (044901) |
| M-Audio | Solaris | 650 | 210 | 50 | USM-L (044903) | USM (044901) |
| M-Audio | Luna | 680 | 210 | 50 | USM-L (044903) | USM (044901) |
| M-Audio | Sputnik | 700 | 210 | 50 | USM-L (044903) | USM (044901) |
| Microtech Gefell | UM 92.1 S | 430 | 190 | 42 | USM-L (044903) | USM (044901) |
| Microtech Gefell | M 930 | 210 | 118 | 45 | USM-L (044903) | USM-L (044903) |
| Microtech Gefell | M 940 | 210 | 118 | 45 | USM-L (044903) | USM-L (044903) |
| Microtech Gefell | M 990 | 400 | 185 | 43 | USM-L (044903) | USM-L (044903) |
| Milab | DM1001 | 730 | 237 | 40 | USM-L (044903) | USM (044901) |
| Milab | DC-96B | 200 | 145 | 27 | USM-L (044903) | USM-L (044903) |
| Milab | DC-196 | 230 | 145 | 27 | USM-L (044903) | USM-L (044903) |
| Milab | EMBLA | 360 | 198 | 30 | USM-L (044903) | USM-L (044903) |
| Milab | VIP-50 | 400 | 170 | 50 | USM-L (044903) | USM-L (044903) |
| Mojave Audio | MA 200 | 455 | 193 | 50 | USM-L (044903) | USM (044901) |
| Mojave Audio | MA-201 fet | 455 | 193 | 50 | USM-L (044903) | USM (044901) |
| Nady | TCM 1100 | 420 | 165 | 55 | USM-L (044903) | USM (044901) |
| Nady | SCM 1000 | 430 | 165 | 55 | USM-L (044903) | USM (044901) |
| Nady | SCM 1050 | 430 | 165 | 55 | USM-L (044903) | USM (044901) |
| Nady | SCM 900 | 500 | 190 | 50.5 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|---------|-----------|---------------|-------------|---------------|----------------|----------------------|
| Nady | SCM 910 | 500 | 190 | 50.5 | USM-L (044903) | USM (044901) |
| Nady | SCM 920 | 500 | 190 | 50.5 | USM-L (044903) | USM (044901) |
| Nady | SCM 980 | 600 | 202 | 54 | USM-L (044903) | USM (044901) |
| Nady | SCM 960 | 311 | 133 | 50.5 | USM-L (044903) | USM-L (044903) |
| Nady | SCM 800 | 335 | 151 | 50.5 | USM-L (044903) | USM-L (044903) |
| Nady | SCM 950 | 354 | 183 | 51 | USM-L (044903) | USM-L (044903) |
| Neumann | TLM 103D | 460 | 132 | 54.2 | USM-L (044903) | USM (044901) |
| Neumann | SM 69 fet | 465 | 260 | 30 | USM-L (044903) | USM (044901) |
| Neumann | TLM 193 | 480 | 175 | 49 | USM-L (044903) | USM (044901) |
| Neumann | TLM 50 | 490 | 145 | 56 | USM-L (044903) | USM (044901) |
| Neumann | TLM 67 | 490 | 200 | 56 | USM-L (044903) | USM (044901) |
| Neumann | U 67 | 490 | 200 | 56 | USM-L (044903) | USM (044901) |
| Neumann | U 87 Ai | 500 | 200 | 56 | USM-L (044903) | USM (044901) |
| Neumann | U 89 I | 400 | 185 | 46 | USM-L (044903) | USM-L (044903) |
| Neumann | TLM 103 | 500 | 132 | 54.2 | TLM-L (044904) | TLM (044902) |
| Neumann | TLM 127 | 450 | 173 | 57 | TLM-L (044904) | TLM (044902) |
| Neumann | TLM 193 | 480 | 175 | 49 | TLM-L (044904) | TLM (044902) |
| Neumann | M 147 | 460 | 142 | 57 | TLM-L (044904) | TLM (044902) |
| Neumann | TLM 102 | 260 | 116 | 52 | TLM-L (044904) | TLM-L (044904) |
| Nevaton | MC51 | 440 | 219 | 30 | USM-L (044903) | USM (044901) |
| Nevaton | MC420 | 440 | 219 | 30 | USM-L (044903) | USM (044901) |
| Nevaton | MC47 | 500 | 149 | 30 | USM-L (044903) | USM (044901) |
| Nevaton | MC48 | 500 | 249 | 30 | USM-L (044903) | USM (044901) |
| Nevaton | MC416 | 500 | 249 | 30 | USM-L (044903) | USM (044901) |
| Nevaton | MC440 | 500 | 249 | 30 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|--------|----------|---------------|-------------|---------------|----------------|----------------------|
| Oktava | MC 220 | 450 | 205 | 52 | USM-L (044903) | USM (044901) |
| Oktava | MCL-319 | 500 | 155 | 54 | USM-L (044903) | USM (044901) |
| Oktava | MC 219 | 510 | 202 | 48 | USM-L (044903) | USM (044901) |
| Oktava | MKL4000 | 540 | 155 | 54 | USM-L (044903) | USM (044901) |
| Oktava | MC 101 | 215 | 165.5 | 20 | USM-L (044903) | USM-L (044903) |
| Pearl | DS 60 | 470 | 180 | 42 | USM-L (044903) | USM (044901) |
| Pearl | CT40 | 470 | 160 | 43 | USM-L (044903) | USM (044901) |
| Pearl | DT 40 | 470 | 160 | 43 | USM-L (044903) | USM (044901) |
| Pearl | PML-CT40 | 470 | 160 | 43 | USM-L (044903) | USM (044901) |
| Pearl | PML-DT40 | 470 | 160 | 43 | USM-L (044903) | USM (044901) |
| Pearl | TL 4 | 260 | 145 | 43 | USM-L (044903) | USM-L (044903) |
| Pearl | CC 22 | 270 | 145 | 28 | USM-L (044903) | USM-L (044903) |
| Pearl | CC 22H | 270 | 145 | 28 | USM-L (044903) | USM-L (044903) |
| Pearl | CO 22 | 270 | 145 | 28 | USM-L (044903) | USM-L (044903) |
| Pearl | ELM-B | 305 | 192 | 28 | USM-L (044903) | USM-L (044903) |
| Pearl | ELM-C | 305 | 192 | 28 | USM-L (044903) | USM-L (044903) |
| Peluso | TR14 | 450 | 210 | 36 | USM-L (044903) | USM (044901) |
| Peluso | R14 | 496 | 176 | 36 | USM-L (044903) | USM (044901) |
| Peluso | 22 251 | 620 | 225 | 50 | USM-L (044903) | USM (044901) |
| Peluso | VTB | 620 | 225 | 50 | USM-L (044903) | USM (044901) |
| Peluso | SR14 | 750 | 281 | 36 | USM-L (044903) | USM (044901) |
| Peluso | P 12 | 750 | 240 | 45 | USM-L (044903) | USM (044901) |
| Peluso | P Stereo | 750 | 262 | 46 | USM-L (044903) | USM (044901) |
| Peluso | P 28 | 300 | 184 | 28 | USM-L (044903) | USM-L (044903) |
| Røde | NT2 | 541 | 204 | 50 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|-----------------------|-------------|---------------|-------------|---------------|----------------|----------------------|
| Røde | Broadcaster | 577 | 167 | 50 | USM-L (044903) | USM (044901) |
| Røde | NT3 | 680 | 206 | 32 | USM-L (044903) | USM (044901) |
| Røde | NT1000 | 682 | 209 | 54 | USM-L (044903) | USM (044901) |
| Røde | NT1 | 320 | 190 | 50 | USM-L (044903) | USM-L (044903) |
| Røde | NT1-A | 326 | 190 | 50 | USM-L (044903) | USM-L (044903) |
| Røde | M3 | 390 | 225 | 33 | USM-L (044903) | USM-L (044903) |
| Samson | CL7 | 500 | 175 | 54 | USM-L (044903) | USM (044901) |
| Sanken | CU-41 | 582 | 180 | 50 | USM-L (044903) | USM (044901) |
| Sanken | CU-44X | 310 | 115 | 42.5 | USM-L (044903) | USM-L (044903) |
| SE Electronics | R1 | 450 | 168 | 40 | USM-L (044903) | USM (044901) |
| Shure | KSM32 | 490 | 187 | 55.9 | USM-L (044903) | USM (044901) |
| Shure | KSM44 | 490.5 | 187 | 55.9 | USM-L (044903) | USM (044901) |
| Sound Performance Lab | 2275 | 370 | 170.5 | 52 | USM-L (044903) | USM-L (044903) |
| Soundelux | R-1 | 434 | 146 | 52 | USM-L (044903) | USM (044901) |
| Soundelux | U97 | 434 | 146 | 52 | USM-L (044903) | USM (044901) |
| Soundelux | E250 | 694 | 203 | 51 | USM-L (044903) | USM (044901) |
| Soundelux | E251C | 700 | 200 | 52 | USM-L (044903) | USM (044901) |
| Soundelux | U99 | 709 | 229 | 52 | USM-L (044903) | USM (044901) |
| Soundelux | ELUX 251 | 716 | 216 | 51 | USM-L (044903) | USM (044901) |
| Soundelux | U195 | 725 | 195 | 51 | USM-L (044903) | USM (044901) |
| Soundking | SKEA006 | 560 | 186 | 53 | USM-L (044903) | USM (044901) |
| Soundking | SKEA008 | 600 | 190 | 55 | USM-L (044903) | USM (044901) |
| Soundking | SKEB004 | 620 | 160 | 55 | USM-L (044903) | USM (044901) |
| Soundking | SKEB001 | 625 | 160 | 55 | USM-L (044903) | USM (044901) |
| Superlux | CM-H8A | 562 | 202 | 54 | USM-L (044903) | USM (044901) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | VERTICAL Only | HORIZONTAL or Angled |
|------------|--------------|---------------|-------------|---------------|----------------|----------------------|
| Superlux | CM-H8B | 562 | 202 | 54 | USM-L (044903) | USM (044901) |
| Superlux | CM-H8C | 571 | 202 | 54 | USM-L (044903) | USM (044901) |
| Superlux | ECO-H6A | 245 | 170 | 54 | USM-L (044903) | USM-L (044903) |
| Violet | Black Knight | 450 | 208 | 44 | USM-L (044903) | USM (044901) |
| Violet | The Wedge | 350 | 210 | 42 | USM-L (044903) | USM-L (044903) |
| Violet | The Dolly | 360 | 220 | 44 | USM-L (044903) | USM-L (044903) |
| XXL Inside | XC87C | 500 | 190 | 50.5 | USM-L (044903) | USM (044901) |

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | Model (P/N) |
|------------------------------|------------|---------------|-------------|---------------|-----------------|
| Beyerdynamic | M 99 | 421 | 163 | 56 | USM-VB (044912) |
| Neumann | TLM 50 | 490 | 145 | 56 | USM-VB (044912) |
| Neumann | TLM 67 | 490 | 200 | 56 | USM-VB (044912) |
| Neumann | U 87 Ai | 500 | 200 | 56 | USM-VB (044912) |
| Beyerdynamic | MCE 90 | 375 | 160 | 56.8 | USM-VB (044912) |
| AKG | C 2000 B | 323 | 159 | 57 | USM-VB (044912) |
| AKG | C 3000 B | 320 | 162 | 57 | USM-VB (044912) |
| AKG | SolidTube | 920 | 219 | 57 | USM-VB (044912) |
| CAD Professional Microphones | M179 | 506 | 178 | 57 | USM-VB (044912) |
| Neumann | M 147 Tube | 460 | 142 | 57 | USM-VB (044912) |
| Neumann | TLM 127 | 450 | 173 | 57 | USM-VB (044912) |
| Sony | C-800 | 590 | 196 | 57 | USM-VB (044912) |
| Sony | C-800g | 900 | 191 | 57 | USM-VB (044912) |
| TL Audio | TL5000 | 700 | 190 | 57 | USM-VB (044912) |
| CAD Professional Microphones | GXL M37 | 425 | 177.8 | 57.2 | USM-VB (044912) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | Model (P/N) |
|----------------------|--------------|---------------|-------------|---------------|-----------------|
| Lawson | L47C | 907 | 247.7 | 57.2 | USM-VB (044912) |
| Lawson | L47MP | 907 | 247.7 | 57.2 | USM-VB (044912) |
| Lawson | L47S | 907 | 247.7 | 57.2 | USM-VB (044912) |
| AKG | C 4000 B | 450 | 183 | 58 | USM-VB (044912) |
| AKG | C 4500 B-BC | 450 | 183 | 58 | USM-VB (044912) |
| Behringer | B1 | 461 | 174 | 58 | USM-VB (044912) |
| Marshall Electronics | MXL 960 | 800 | 220 | 58 | USM-VB (044912) |
| Peavey | StudioProM1 | 545 | 198 | 58 | USM-VB (044912) |
| Peavey | StudioProM2 | 545 | 198 | 58 | USM-VB (044912) |
| Peluso | 22 47 | 855 | 235 | 58 | USM-VB (044912) |
| Peluso | P-248 | 775 | 200 | 58 | USM-VB (044912) |
| Soundking | SKEA001 | 700 | 190 | 59 | USM-VB (044912) |
| Soundking | SKEA002 | 700 | 190 | 59 | USM-VB (044912) |
| Blue | The Kiwi | 880 | 220 | 60 | USM-VB (044912) |
| Lawson | L251 | 950 | 250 | 60 | USM-VB (044912) |
| Marshall Electronics | MXL 770 | 455 | 154 | 60 | USM-VB (044912) |
| Marshall Electronics | MXL 990 | 500 | 130 | 60 | USM-VB (044912) |
| Marshall Electronics | MXL 992 | 900 | 130 | 60 | USM-VB (044912) |
| Milab | SRND 360 | 685 | 120 | 60 | USM-VB (044912) |
| Neumann | M 47 (TELLY) | 800 | 240 | 60 | USM-VB (044912) |
| Neumann | TLM 170 R | 625 | 152 | 60 | USM-VB (044912) |
| SE Electronics | Icis | U/K | 205 | 60 | USM-VB (044912) |
| SE Electronics | Z2200 | U/K | 205 | 60 | USM-VB (044912) |
| SE Electronics | Z5600a II | U/K | 192 | 60 | USM-VB (044912) |
| Shure | KSM27 | 642 | 156 | 60 | USM-VB (044912) |



MICROPHONE COMPATIBILITY CHART

InVision™ Studio - Universal Studio Mount

| Make | Model | Weight (gram) | Length (mm) | Diameter (mm) | Model (P/N) |
|------------------------------|-----------|---------------|-------------|---------------|-----------------|
| CAD Professional Microphones | VX2 | 850 | 234 | 61 | USM-VB (044912) |
| Electrovoice | RE 1000 | 400 | 205 | 62 | USM-VB (044912) |
| Superlux | PRA-H7A | 451 | 255 | 62 | USM-VB (044912) |
| JZ Microphones | JZ-1 | 490 | 232 | 63 | USM-VB (044912) |
| Oktava | ML 52 | 500 | 210 | 63 | USM-VB (044912) |
| Soundelux | E47 | 609 | 227 | 63 | USM-VB (044912) |
| Soundelux | e47C | 630 | 223 | 63 | USM-VB (044912) |
| Neumann | D-01 | 700 | 185 | 63.5 | USM-VB (044912) |
| Soundelux | ifet7 | 966 | 166 | 63.5 | USM-VB (044912) |
| CAD Professional Microphones | E200 | 624 | 241 | 64 | USM-VB (044912) |
| CAD Professional Microphones | E350 | 845 | 225 | 64 | USM-VB (044912) |
| Blue | The Mouse | 980 | 165 | 65 | USM-VB (044912) |
| Microtech Gefell | UM 930 | 930 | 158 | 65 | USM-VB (044912) |
| Soundfield | MKV | 470 | 220 | 65 | USM-VB (044912) |
| JZ Microphones | JZ-2 | 780 | 165 | 68 | USM-VB (044912) |